



DAMAR[®]

LIGHTING THE WORLD

COMPACT FLUORESCENT LAMPS

Safe-Shield[®]

- Shatter resistant coating helps to contain broken glass.
- Ideal for applications where safety is essential.
- Available in most shapes and wattages.

Spiral

- Easy and efficient replacement for standard incandescent.
- Up to 10,000 average life hours.
- Models from 7 watts to 30 watts designed to replace 35 watt to 120 watt incandescents.

Super Spiral

- Available in 45, 65 and 85 watts to replace 135, 200 or 250 watt incandescents.
- Up to 10,000 average life hours.
- Offered in medium and mogul bases.

Colors

- We can paint almost any CFL!
- Ideal for accent, sign, or decorative applications.






DAMAR®

LIGHTING THE WORLD


COMPACT FLUORESCENT LAMPS

BASE IDENTIFICATION



LAMP FINDER

The lamp drawings listed here are not to scale. To determine the bulb diameter in inches, multiply the bulb number by one-eighth. For example T2 means approximately 2/8" or 1/4" in diameter.





DAMAR®

LIGHTING THE WORLD

COMPACT FLUORESCENT

Please Call (800) 601-9007 for Mercury Recycle Information

KEY TO HEADINGS

The reference material in these headings may help you in confirming compact fluorescent lamp specifications and in ordering products. Lamps are grouped by product line, then into groups according to wattage, bulb shape and size, and base. The exception to this rule may occur with specialty items. For assistance, please contact your Damar representative.

Watt

Energy expended. To estimate energy consumption (kw) multiply watts x hours of use and divide by 1000.

Base:

The base type.

Item No:

The Damar identification code.

Description:

The industry identification code.

Color Rendering Index (CRI):

A system used to rate a lamps ability to render object colors.

Average Kelvin/Color:

Kelvin temperature is a simplified way to characterize the spectral properties of a light source.

Master Carton Label:

Number of units per case.


Notes:

Additional important information.

Avg Life Hours:

Rated average life in hours.

Watt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
COMPACT FLUORESCENT PLUG-IN LAMPS								
SINGLE TWIN SHAPE 2-PIN								
5	G23	04123C	F5TT/827/G23	82	2700	12000		50
		22559A	F5TT/835/G23	82	3500	12000		50
		04123F	F5TT/841/G23	82	4100	12000		50



COMPACT FLUORESCENT BRAND NAME CROSS-REFERENCE

DAMAR	GE*	OSRAM/SYLVANIA**	PHILIPS***
Square™	2D	-	-
Twin™ Shape	Biax	Dulux S	PL-S
Long Twin™ Shape	High Lumen Biax	Dulux L	PL-L
Double Twin™ Shape	Double Biax	Dulux D, D/E	PL-C
Triple Twin™ Shape	Triple Biax	Dulux T/E	PL-T
Quad Twin™ Shape	Quad Biax	-	-
Helix™	Spiral	Dulux EL Twist	EL Twist

ATTENTION: This brand-name cross-reference table is to be used only as a quick guide. Other company brand names may only represent a similar product versus an exact match to Damar brands. Refer to individual manufacturers' reference sources and product specifications

*Trademark or registered trademark of General Electric Company.

**Trademark or registered trademark of Osram Sylvania Inc.

*** Trademark or registered trademark of Philips.




DOUBLE TWIN




TRIPLE TWIN


Watt	Volt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
SELF-BALLASTED COMPACT FLUORESCENT BULBS									
DOUBLE TWIN SHAPE									
5	120	E26	23700A	EL5W/DTT/27K	82	2700	10000		50
			26781A	EL5W/DTT/41K	82	4100	10000		50
			26782A	EL5W/DTT/5K	82	5000	10000		50
			26783A	EL5W/DTT/64K	82	6400	10000		50
7	120	E26	23759A	EL7W/DTT/27K	82	2700	10000		50
			24042A	EL7W/DTT/41K	82	4100	10000		50
			24298A	EL7W/DTT/5K	82	5000	10000		50
			24043A	EL7W/DTT/64K	82	6400	10000		50
9	120	E26	23702A	EL9W/DTT/27K	82	2700	10000		50
			24044A	EL9W/DTT/41K	82	4100	10000		50
			24299A	EL9W/DTT/5K	82	5000	10000		50
			24045A	EL9W/DTT/64K	82	6400	10000		50
11	120	E26	01790D	EL11W/DTT/27K	82	2700	10000		50
			24046A	EL11W/DTT/41K	82	4100	10000		50
			24300A	EL11W/DTT/5K	82	5000	10000		50
			24047A	EL11W/DTT/64K	82	6400	10000		50
13	120	E26	23699A	EL13W/DTT/27K	82	2700	10000		50
			24048A	EL13W/DTT/41K	82	4100	10000		50
			24301A	EL13W/DTT/5K	82	5000	10000		50
			24049A	EL13W/DTT/64K	82	6400	10000		50
15	120	E26	21406C	EL15W/DTT/27K	82	2700	10000		50
			24050A	EL15W/DTT/41K	82	4100	10000		50
			24302A	EL15W/DTT/5K	82	5000	10000		50
			24051A	EL15W/DTT/64K	82	6400	10000		50
TRIPLE TWIN SHAPE									
9	120	E26	27972A	EL9W/TBX/27K	82	2700	10000		50
			27973A	EL9W/TBX/41K	82	4100	10000		50
			27974A	EL9W/TBX/5K	82	5000	10000		50
			27975A	EL9W/TBX/64K	82	6400	10000		50
11	120	E26	27976A	EL11W/TBX/27K	82	2700	10000		50
			27977A	EL11W/TBX/41K	82	4100	10000		50
			27978A	EL11W/TBX/5K	82	5000	10000		50
			27979A	EL11W/TBX/64K	82	6400	10000		50
15	120	E26	21406A	EL15W/TBX/27K	82	2700	10000		50
			25029A	EL15W/TBX/27K/SS	82	2700	10000	Safe-Shield® Coated	50
			24052A	EL15W/TBX/41K	82	4100	10000		50
			24303A	EL15W/TBX/5K	82	5000	10000		50
			24053A	EL15W/TBX/64K	82	6400	10000		50
18	120	E26	23704A	EL18W/TBX/27K	82	2700	10000		50
			24054A	EL18W/TBX/41K	82	4100	10000		50
			24304A	EL18W/TBX/5K	82	5000	10000		50
			24055A	EL18W/TBX/64K	82	6400	10000		50
20	120	E26	04132C	EL20W/TBX/27K	82	2700	10000		50
			24056A	EL20W/TBX/41K	82	4100	10000		50



TRIPLE TWIN



QUAD MINI TWIN



QUAD TWIN



MINI SPIRAL

Watt	Volt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
SELF-BALLASTED COMPACT FLUORESCENT BULBS (Cont'd)									
TRIPLE TWIN SHAPE (Cont'd)									
20	120	E26	24305A	EL20W/TBX/5K	82	5000	10000		50
			24057A	EL20W/TBX/64K	82	6400	10000		50
			23291A	EL20W/TBX/YELLOW		Yellow	10000		50
23	120	E26	05742B	EL23W/TBX/27K	82	2700	10000		50
			05742D	EL23W/TBX/27K/SS	82	2700	10000	Safe-Shield® Coated	50
			24058A	EL23W/TBX/41K	82	4100	10000		50
			24306A	EL23W/TBX/5K	82	5000	10000		50
			24059A	EL23W/TBX/64K	82	6400	10000		50
25	120	E26	23705A	EL25W/TBX/27K	82	2700	10000		50
			24060A	EL25W/TBX/41K	82	4100	10000		50
			24307A	EL25W/TBX/5K	82	5000	10000		50
			24061A	EL25W/TBX/64K	82	6400	10000		50
MINI-QUAD TWIN SHAPE									
15	120	E26	24430A	ELM15W/QBX/27K	82	2700	10000		50
QUAD TWIN SHAPE									
28	120	E26	24062A	EL28W/QBX/27K	82	2700	10000		50
			24063A	EL28W/QBX/41K	82	4100	10000		50
			24308A	EL28W/QBX/5K	82	5000	10000		50
			24064A	EL28W/QBX/64K	82	6400	10000		50
			24062B	EL28W/QBX/YELLOW		Yellow	10000		50
MINI-SPIRAL SHAPE									
7	120	E26	24083A	HM7SL/27K	82	2700	10000		50
			24084A	HM7SL/41K	82	4100	10000		50
			24315A	HM7SL/5K	82	5000	10000		50
			24085A	HM7SL/64K	82	6400	10000		50
9	120	E26	24086A	HM9SL/27K	82	2700	10000		50
			24087A	HM9SL/41K	82	4100	10000		50
			24316A	HM9SL/5K	82	5000	10000		50
			24088A	HM9SL/64K	82	6400	10000		50
11	120	E26	24089A	HM11SL/27K	82	2700	10000		50
			24090A	HM11SL/41K	82	4100	10000		50
			24317A	HM11SL/5K	82	5000	10000		50
			24091A	HM11SL/64K	82	6400	10000		50
			24091B	HM11SL/64K/SS	82	6400	10000	Safe-Shield® Coated	25
			24481A	HM11SL/PINK		Pink	10000		20
			24424A	HM11SL/YELLOW		Yellow	10000		20
13	120	E26	25507A	HM13SL/27K	82	2700	10000		50
			25508A	HM13SL/41K	82	4100	10000		50
			25509A	HM13SL/5K	82	5000	10000		50
			25510A	HM13SL/64K	82	6400	10000		50
			24420A	HM13SL/BLUE		Blue	10000		20
			24421A	HM13SL/GREEN		Green	10000		20
			24423A	HM13SL/RED		Red	10000		20
15	120	E26	25511A	HM15SL/27K	82	2700	10000		50




MINI SPIRAL




SPIRAL


Watt	Volt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
SELF-BALLASTED COMPACT FLUORESCENT BULBS (Cont'd)									
MINI-SPIRAL SHAPE (Cont'd)									
15	120	E26	25512A	HM15SL/41K	82	4100	10000		50
			25513A	HM15SL/5K	82	5000	10000		50
			25514A	HM15SL/64K	82	6400	10000		50
20	120	E26	27984A	HM20SL/27K	82	2700	10000		50
			27985A	HM20SL/41K	82	4100	10000		50
			27986A	HM20SL/5K	82	5000	10000		50
			27987A	HM20SL/64K	82	6400	10000		50
25	120	E26	27988A	HM25SL/27K	82	2700	10000		50
			27989A	HM25SL/41K	82	4100	10000		50
			27990A	HM25SL/5K	82	5000	10000		50
			27991A	HM25SL/64K	82	6400	10000		50
SPIRAL SHAPE									
13	120	E26	24065A	H13SL/27K	82	2700	10000		50
			24066A	H13SL/41K	82	4100	10000		50
			24309A	H13SL/5K	82	5000	10000		50
			24067A	H13SL/64K	82	6400	10000		50
15	120	E26	00855A	H15SL/27K	82	2700	10000	Carded Item, 1/Card	48
			24196A	H15SL/27K	82	2700	10000		50
			24068A	H15SL/41K	82	4100	10000		50
			24310A	H15SL/5K	82	5000	10000		50
			24069A	H15SL/64K	82	6400	10000		50
			23675A	H15SL/BLB		Black Light Blue	10000		48
			24367A	H15SL/BLUE		Blue	10000		20
			24369A	H15SL/GREEN		Green	10000		20
			24480A	H15SL/PINK		Pink	10000		48
			24366A	H15SL/RED		Red	10000		20
			24373A	H15SL/YELLOW		Yellow	10000		48
18	120	E26	00855B	H18SL/27K	82	2700	10000	Carded Item, 1/Card	48
			24197A	H18SL/27K	82	2700	10000		50
			24070A	H18SL/41K	82	4100	10000		50
			24311A	H18SL/5K	82	5000	10000		50
			24071A	H18SL/64K	82	6400	10000		50
20	120	E26	00855C	H20SL/27K	82	2700	10000	Carded Item, 1/Card	48
			24198A	H20SL/27K	82	2700	10000		50
			24072A	H20SL/41K	82	4100	10000		50
			24072B	H20SL/41K/SS	82	4100	10000	Safe-Shield® Coated	50
			24312A	H20SL/5K	82	5000	10000		50
			24073A	H20SL/64K	82	6400	10000		50
			24080A	H20SL/BLB		Black Light Blue	10000		48
23	120	E26	00855E	H23SL/27K	82	2700	10000	Carded Item, 1/Card	48
			24199A	H23SL/27K	82	2700	10000		50
			24074A	H23SL/41K	82	4100	10000		50
			24313A	H23SL/5K	82	5000	10000		50
			24075A	H23SL/64K	82	6400	10000		50



SPIRAL






SUPER SPIRAL



R20

Watt	Volt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
SELF-BALLASTED COMPACT FLUORESCENT BULBS (Cont'd)									
SPIRAL SHAPE (Cont'd)									
23	120	E26	24368A	H23SL/BLUE		Blue	10000		20
			24370A	H23SL/GREEN		Green	10000		20
			24375A	H23SL/RED		Red	10000		20
25	120	E26	00855F	H25SL/27K	82	2700	10000	Carded Item, 1/Card	48
			24200A	H25SL/27K	82	2700	10000		50
			24076A	H25SL/41K	82	4100	10000		50
			24314A	H25SL/5K	82	5000	10000		50
			24077A	H25SL/64K	82	6400	10000		50
			24082A	H25SL/BLB		Black Light Blue	10000		20
			24479A	H25SL/PINK		Pink	10000		20
			24378A	H25SL/YELLOW		Yellow	10000		20
30	120	E26	00855H	H30SL/27K	82	2700	10000		50
			24230A	H30SL/41K	82	4100	10000		50
			24413A	H30SL/5K	82	5000	10000		50
			24231A	H30SL/65K	82	6500	10000		50
SUPER SPIRAL SHAPE									
45	120	E26	25098A	HS45SL/27K	82	2700	10000		10
			25099A	HS45SL/41K	82	4100	10000		10
			25100A	HS45SL/5K	82	5000	10000		10
			25101A	HS45SL/64K	82	6400	10000		10
		E39	29084A	HS45SL/5K	82	5000	10000		10
65	120	E26	25102A	HS65SL/27K	82	2700	10000		10
			25103A	HS65SL/41K	82	4100	10000		10
			25104A	HS65SL/5K	82	5000	10000		10
			25105A	HS65SL/64K	82	6400	10000		10
		E39	29085A	HS65SL/5K	82	5000	10000		10
85	120	E26	25106A	HS85SL/27K	82	2700	10000		10
			25107A	HS85SL/41K	82	4100	10000		10
			25108A	HS85SL/5K	82	5000	10000		10
			25109A	HS85SL/64K	82	6400	10000		10
		E39	29086A	HS85SL/5K	82	5000	10000		10
REFLECTOR SHAPE (R20-2.5" dia)									
5	120	E26	24146A	EL5W/R20/FL/27K	82	2700	10000	Flood	50
			24147A	EL5W/R20/FL/41K	82	4100	10000	Flood	50
			24337A	EL5W/R20/FL/5K	82	5000	10000	Flood	50
			24148A	EL5W/R20/FL/64K	82	6400	10000	Flood	50
7	120	E26	24149A	EL7W/R20/FL/27K	82	2700	10000	Flood	50
			24150A	EL7W/R20/FL/41K	82	4100	10000	Flood	50
			24338A	EL7W/R20/FL/5K	82	5000	10000	Flood	50
			24151A	EL7W/R20/FL/64K	82	6400	10000	Flood	50
9	120	E26	23620B	EL9W/R20/FL/27K	82	2700	10000	Flood	50
			23620C	EL9W/R20/FL/27K/SS	82	2700	10000	Flood, Safe-Shield® Coated	25
			24152A	EL9W/R20/FL/41K	82	4100	10000	Flood	50
			24339A	EL9W/R20/FL/5K	82	5000	10000	Flood	50

DAMAR®



Watt	Volt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
SELF-BALLASTED COMPACT FLUORESCENT BULBS (Cont'd)									
REFLECTOR SHAPE (R20-2.5" dia) (Cont'd)									
9	120	E26	24153A	EL9W/R20/FL/64K	82	6400	10000	Flood	50
REFLECTOR SHAPE (R25-3.125" dia)									
11	120	E26	23620A	EL11W/R25/FL/27K	82	2700	10000	Flood	20
			24154A	EL11W/R25/FL/41K	82	4100	10000	Flood	20
			24340A	EL11W/R25/FL/5K	82	5000	10000	Flood	20
			24155A	EL11W/R25/FL/64K	82	6400	10000	Flood	20
13	120	E26	24156A	EL13W/R25/FL/27K	82	2700	10000	Flood	20
			24157A	EL13W/R25/FL/41K	82	4100	10000	Flood	20
			24341A	EL13W/R25/FL/5K	82	5000	10000	Flood	20
			24158A	EL13W/R25/FL/64K	82	6400	10000	Flood	20
REFLECTOR SHAPE (R30-3.75" dia)									
15	120	E26	24159A	EL15W/R30/FL/27K	82	2700	10000	Flood	20
			24159B	EL15W/R30/FL/27K/SS	82	2700	10000	Flood, Safe-Shield® Coated	20
			24160A	EL15W/R30/FL/41K	82	4100	10000	Flood	20
			24342A	EL15W/R30/FL/5K	82	5000	10000	Flood	20
			24161A	EL15W/R30/FL/64K	82	6400	10000	Flood	20
REFLECTOR SHAPE (R40-5" dia)									
15	120	E26	24176A	EL15W/R40/FL/27K	82	2700	10000	Flood	20
			24177A	EL15W/R40/FL/41K	82	4100	10000	Flood	20
			26788A	EL15W/R40/FL/5K	82	5000	10000	Flood	20
			24178A	EL15W/R40/FL/64K	82	6400	10000	Flood	20
18	120	E26	24162A	EL18W/R40/FL/27K	82	2700	10000	Flood	20
			24163A	EL18W/R40/FL/41K	82	4100	10000	Flood	20
			24343A	EL18W/R40/FL/5K	82	5000	10000	Flood	20
			24164A	EL18W/R40/FL/64K	82	6400	10000	Flood	20
20	120	E26	20223B	EL20W/R40/FL/27K	82	2700	10000	Flood	20
			24165A	EL20W/R40/FL/41K	82	4100	10000	Flood	20
			24344A	EL20W/R40/FL/5K	82	5000	10000	Flood	20
			24166A	EL20W/R40/FL/64K	82	6400	10000	Flood	20
25	120	E26	23619A	EL25W/R40/FL/27K	82	2700	8000	Flood	24
			25071A	EL25W/R40/FL/41K	82	4100	8000	Flood	24
			25072A	EL25W/R40/FL/5K	82	5000	8000	Flood	24
			25073A	EL25W/R40/FL/64K	82	6400	8000	Flood	24
			23619B	EL25W/R40/AMBER		Amber	8000	Flood	24
A19 SHAPE									
5	120	E26	25484A	EL5W/A19/27K	82	2700	10000	Frost Outer Glass	50
			25485A	EL5W/A19/41K	82	4100	10000	Frost Outer Glass	50
			25486A	EL5W/A19/5K	82	5000	10000	Frost Outer Glass	50
			25487A	EL5W/A19/64K	82	6400	10000	Frost Outer Glass	50
7	120	E26	25488A	EL7W/A19/27K	82	2700	10000	Frost Outer Glass	50
			25489A	EL7W/A19/41K	82	4100	10000	Frost Outer Glass	50
			25490A	EL7W/A19/5K	82	5000	10000	Frost Outer Glass	50
			25491A	EL7W/A19/64K	82	6400	10000	Frost Outer Glass	50
9	120	E26	25492A	EL9W/A19/27K	82	2700	10000	Frost Outer Glass	50



A19





A21




G20


Watt	Volt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
SELF-BALLASTED COMPACT FLUORESCENT BULBS (Cont'd)									
A19 SHAPE (Cont'd)									
9	120	E26	25493A	EL9W/A19/41K	82	4100	10000	Frost Outer Glass	50
			25494A	EL9W/A19/5K	82	5000	10000	Frost Outer Glass	50
			25495A	EL9W/A19/64K	82	6400	10000	Frost Outer Glass	50
A21 SHAPE									
5	120	E26	23698C	EL5W/A21/27K	82	2700	10000	Frost Outer Glass	50
			24128A	EL5W/A21/41K	82	4100	10000	Frost Outer Glass	50
			24330A	EL5W/A21/5K	82	5000	10000	Frost Outer Glass	50
			24129A	EL5W/A21/64K	82	6400	10000	Frost Outer Glass	50
7	120	E26	23698B	EL7W/A21/27K	82	2700	10000	Frost Outer Glass	50
			24130A	EL7W/A21/41K	82	4100	10000	Frost Outer Glass	50
			24331A	EL7W/A21/5K	82	5000	10000	Frost Outer Glass	50
			24131A	EL7W/A21/64K	82	6400	10000	Frost Outer Glass	50
9	120	E26	23698A	EL9W/A21/27K	82	2700	10000	Frost Outer Glass	50
			24132A	EL9W/A21/41K	82	4100	10000	Frost Outer Glass	50
			24332A	EL9W/A21/5K	82	5000	10000	Frost Outer Glass	50
			24133A	EL9W/A21/64K	82	6400	10000	Frost Outer Glass	50
11	120	E26	06401B	EL11W/A21/27K	82	2700	10000	Frost Outer Glass	50
			06401C	EL11W/A21/41K	82	4100	10000	Frost Outer Glass	50
			24333A	EL11W/A21/5K	82	5000	10000	Frost Outer Glass	50
			06401A	EL11W/A21/64K	82	6400	10000	Frost Outer Glass	50
13	120	E26	24134A	EL13W/A21/27K	82	2700	10000	Frost Outer Glass	50
			24135A	EL13W/A21/41K	82	4100	10000	Frost Outer Glass	50
			24334A	EL13W/A21/5K	82	5000	10000	Frost Outer Glass	50
			24136A	EL13W/A21/64K	82	6400	10000	Frost Outer Glass	50
15	120	E26	24137A	EL15W/A21/27K	82	2700	10000	Frost Outer Glass	50
			24138A	EL15W/A21/41K	82	4100	10000	Frost Outer Glass	50
			24335A	EL15W/A21/5K	82	5000	10000	Frost Outer Glass	50
			24139A	EL15W/A21/64K	82	6400	10000	Frost Outer Glass	50
			24137B	EL15W/A21/YELLOW		Yellow	10000	Yellow Outer Glass	25
20	120	E26	24140A	EL20W/A21/27K	82	2700	10000	Frost Outer Glass	50
			24141A	EL20W/A21/41K	82	4100	10000	Frost Outer Glass	50
			24336A	EL20W/A21/5K	82	5000	10000	Frost Outer Glass	50
			24142A	EL20W/A21/64K	82	6400	10000	Frost Outer Glass	50
MINI GLOBE SHAPE (G20-2.5" dia)									
5	120	E12	24092A	MG5W/E12/27K	82	2700	10000	White Outer Glass	50
			24093A	MG5W/E12/41K	82	4100	10000	White Outer Glass	50
			24318A	MG5W/E12/5K	82	5000	10000	White Outer Glass	50
			24094A	MG5W/E12/64K	82	6400	10000	White Outer Glass	50
		E26	24095A	MG5W/E26/27K	82	2700	10000	White Outer Glass	50
			24096A	MG5W/E26/41K	82	4100	10000	White Outer Glass	50
			24319A	MG5W/E26/5K	82	5000	10000	White Outer Glass	50
			24097A	MG5W/E26/64K	82	6400	10000	White Outer Glass	50
7	120	E12	24098A	MG7W/E12/27K	82	2700	10000	White Outer Glass	50
			24099A	MG7W/E12/41K	82	4100	10000	White Outer Glass	50




Watt	Volt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
SELF-BALLASTED COMPACT FLUORESCENT BULBS (Cont'd)									
MINI GLOBE SHAPE (G20-2.5" dia) (Cont'd)									
7	120	E12	24320A	MG7W/E12/5K	82	5000	10000	White Outer Glass	50
			24100A	MG7W/E12/64K	82	6400	10000	White Outer Glass	50
		E26	24101A	MG7W/E26/27K	82	2700	10000	White Outer Glass	50
			24102A	MG7W/E26/41K	82	4100	10000	White Outer Glass	50
			24321A	MG7W/E26/5K	82	5000	10000	White Outer Glass	50
			24103A	MG7W/E26/64K	82	6400	10000	White Outer Glass	50
9	120	E12	24104A	MG9W/E12/27K	82	2700	10000	White Outer Glass	50
			24105A	MG9W/E12/41K	82	4100	10000	White Outer Glass	50
			24322A	MG9W/E12/5K	82	5000	10000	White Outer Glass	50
			24106A	MG9W/E12/64K	82	6400	10000	White Outer Glass	50
		E26	24107A	MG9W/E26/27K	82	2700	10000	White Outer Glass	50
			24108A	MG9W/E26/41K	82	4100	10000	White Outer Glass	50
			24323A	MG9W/E26/5K	82	5000	10000	White Outer Glass	50
			24109A	MG9W/E26/64K	82	6400	10000	White Outer Glass	50
GLOBE SHAPE (G30-3.75" dia)									
15	120	E26	24167A	EG15W/G30/27K	82	2700	10000	White Outer Glass	20
			24168A	EG15W/G30/41K	82	4100	10000	White Outer Glass	20
			24345A	EG15W/G30/5K	82	5000	10000	White Outer Glass	20
			24169A	EG15W/G30/64K	82	6400	10000	White Outer Glass	20
18	120	E26	24170A	EG18W/G30/27K	82	2700	10000	White Outer Glass	20
			24171A	EG18W/G30/41K	82	4100	10000	White Outer Glass	20
			24346A	EG18W/G30/5K	82	5000	10000	White Outer Glass	20
			24172A	EG18W/G30/64K	82	6400	10000	White Outer Glass	20
20	120	E26	24173A	EG20W/G30/27K	82	2700	10000	White Outer Glass	20
			24174A	EG20W/G30/41K	82	4100	10000	White Outer Glass	20
			24347A	EG20W/G30/5K	82	5000	10000	White Outer Glass	20
			24175A	EG20W/G30/64K	82	6400	10000	White Outer Glass	20
DLS SHAPE									
15	120	E26	00491B	DLS/15/2700K	82	2700	10000		50
			26016A	DLS/15/4100K	82	4100	10000		50
			26017A	DLS/15/5000K	82	5000	10000		50
			26018A	DLS/15/6400K	82	6400	10000		50
18	120	E26	23643A	DLS/18/2700K	82	2700	10000		50
			26790A	DLS/18/4100K	82	4100	10000		50
			26791A	DLS/18/5000K	82	5000	10000		50
			26792A	DLS/18/6400K	82	6400	10000		50
20	120	E26	26447A	DLS/20/2700K	82	2700	10000		50
			26448A	DLS/20/4100K	82	4100	10000		50
			26019A	DLS/20/5000K	82	5000	10000		50
			26020A	DLS/20/6400K	82	6400	10000		50
22	120	E26	00453B	DLS/22/2700K	82	2700	10000		50
			00453C	DLS/22/4100K	82	4100	10000		50
25	120	E26	05709B	DLS/25/2700K	82	2700	10000		50
			26021A	DLS/25/4100K	82	4100	10000		50



DLS



CIRCLINE




ET



CTW

Watt	Volt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
SELF-BALLASTED COMPACT FLUORESCENT BULBS (Cont'd)									
DLS SHAPE (Cont'd)									
25	120	E26	26022A	DLS/25/5000K	82	5000	10000		50
			26023A	DLS/25/6400K	82	6400	10000		50
CIRCLINE UNIT w/bulb (8" dia)									
22	120	E26	26024A	ELC/22W/2700K	82	2700	10000		12
			26025A	ELC/22W/4100K	82	4100	10000		12
			26026A	ELC/22W/5000K	82	5000	10000		12
			26027A	ELC/22W/6400K	82	6400	10000		12
30	120	E26	26028A	ELC/30W/2700K	82	2700	10000		12
			26029A	ELC/30W/4100K	82	4100	10000		12
			26030A	ELC/30W/5000K	82	5000	10000		12
			26031A	ELC/30W/6400K	82	6400	10000		12
CYLINDER SHAPE (T20-2.5" dia)									
15	120	E26	06209E	ET15W/T20/27K	82	2700	10000	White Outer Glass	50
			25515A	ET15W/T20/41K	82	4100	10000	White Outer Glass	50
			25516A	ET15W/T20/5K	82	5000	10000	White Outer Glass	50
			25517A	ET15W/T20/64K	82	6400	10000	White Outer Glass	50
CANDLE SHAPE									
5	120	E12	26789A	CTW5W/E12/27K	82	2700	10000	White Outer Glass	50
			24111A	CTW5W/E12/41K	82	4100	10000	White Outer Glass	50
			24324A	CTW5W/E12/5K	82	5000	10000	White Outer Glass	50
			24112A	CTW5W/E12/64K	82	6400	10000	White Outer Glass	50
		E26	24113A	CTW5W/E26/27K	82	2700	10000	White Outer Glass	50
			24114A	CTW5W/E26/41K	82	4100	10000	White Outer Glass	50
			24325A	CTW5W/E26/5K	82	5000	10000	White Outer Glass	50
			24115A	CTW5W/E26/64K	82	6400	10000	White Outer Glass	50
7	120	E12	24116A	CTW7W/E12/27K	82	2700	10000	White Outer Glass	50
			24117A	CTW7W/E12/41K	82	4100	10000	White Outer Glass	50
			24326A	CTW7W/E12/5K	82	5000	10000	White Outer Glass	50
			24118A	CTW7W/E12/64K	82	6400	10000	White Outer Glass	50
		E26	24119A	CTW7W/E26/27K	82	2700	10000	White Outer Glass	50
			24120A	CTW7W/E26/41K	82	4100	10000	White Outer Glass	50
			24327A	CTW7W/E26/5K	82	5000	10000	White Outer Glass	50
			24121A	CTW7W/E26/64K	82	6400	10000	White Outer Glass	50
9	120	E12	24122A	CTW9W/E12/27K	82	2700	10000	White Outer Glass	50
			24123A	CTW9W/E12/41K	82	4100	10000	White Outer Glass	50
			24328A	CTW9W/E12/5K	82	5000	10000	White Outer Glass	50
			24124A	CTW9W/E12/64K	82	6400	10000	White Outer Glass	50
		E26	24125A	CTW9W/E26/27K	82	2700	10000	White Outer Glass	50
			24126A	CTW9W/E26/41K	82	4100	10000	White Outer Glass	50
			24329A	CTW9W/E26/5K	82	5000	10000	White Outer Glass	50
			24127A	CTW9W/E26/64K	82	6400	10000	White Outer Glass	50



R40



MINI SPIRAL



SPIRAL



A21




TRIPLE TWIN




QUAD TWIN

Watt	Volt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
SELF-BALLASTED COMPACT FLUORESCENT BULBS (Cont'd)									
COLORED COMPACT FLUORESCENTS									
25	120	E26	23619B	EL25W/R40/AMBER		Amber	8000	Flood	24
13	120	E26	24420A	HM13SL/BLUE		Blue	10000		20
15	120	E26	24367A	H15SL/BLUE		Blue	10000		20
23	120	E26	24368A	H23SL/BLUE		Blue	10000		20
13	120	E26	24421A	HM13SL/GREEN		Green	10000		20
15	120	E26	24369A	H15SL/GREEN		Green	10000		20
23	120	E26	24370A	H23SL/GREEN		Green	10000		20
11	120	E26	24481A	HM11SL/PINK		Pink	10000		20
15	120	E26	24480A	H15SL/PINK		Pink	10000		48
25	120	E26	24479A	H25SL/PINK		Pink	10000		20
13	120	E26	24423A	HM13SL/RED		Red	10000		20
15	120	E26	24366A	H15SL/RED		Red	10000		20
23	120	E26	24375A	H23SL/RED		Red	10000		20
15	120	E26	24137B	EL15W/A21/YELLOW		Yellow	10000		25
			24373A	H15SL/YELLOW		Yellow	10000		48
20	120	E26	23291A	EL20W/TBX/YELLOW		Yellow	10000		50
28	120	E26	24062B	EL28W/QBX/YELLOW		Yellow	10000		50
11	120	E26	24424A	HM11SL/YELLOW		Yellow	10000		20
25	120	E26	24378A	H25SL/YELLOW		Yellow	10000		20
15	120	E26	23675A	H15SL/BLB		Black Light Blue	10000		48
20	120	E26	24080A	H20SL/BLB		Black Light Blue	10000		48
25	120	E26	24082A	H25SL/BLB		Black Light Blue	10000		20




SINGLE TWIN


Watt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
PLUG-IN COMPACT FLUORESCENT BULBS								
SINGLE TWIN SHAPE 2-PIN								
5	G23	04123C	F5TT/827/G23	82	2700	12000		50
		04123I	F5TT/827/SS	82	2700	12000	Safe-Shield® Coated	50
		22559A	F5TT/835/G23	82	3500	12000		50
		04123F	F5TT/841/G23	82	4100	12000		50
		24931A	F5TT/850/G23	82	5000	12000		50
		24932A	F5TT/865/G23	82	6500	12000		50
		24932B	F5TT/BLUE		Blue	12000		50
		24931B	F5TT/GREEN		Green	12000		50
		23352A	F5TT/PINK		Pink	12000		50
		04123J	F5TT/RED		Red	12000		50
		22559B	F5TT/YELLOW		Yellow	12000		50
7	G23	02103D	F7TT/827/G23	82	2700	12000		50
		05994B	F7TT/835/G23	82	3500	12000		50
		05994D	F7TT/835/SS	82	3500	12000	Safe-Shield® Coated	50
		02103E	F7TT/841/G23	82	4100	12000		50
		02103H	F7TT/850/G23	82	5000	12000		50
		24933A	F7TT/865/G23	82	6500	12000		50
		24933B	F7TT/BLUE		Blue	12000		50
		02103O	F7TT/GREEN		Green	12000		50
		02103M	F7TT/PINK		Pink	12000		50
		02103N	F7TT/RED		Red	12000		50
		24880A	F7TT/YELLOW		Yellow	12000		50
9	G23	02740B	F9TT/827/G23	82	2700	12000		50
		21556A	F9TT/827/SS	82	2700	12000	Safe-Shield® Coated	50
		22690A	F9TT/835/G23	82	3500	12000		50
		01517B	F9TT/841/G23	82	4100	12000		50
		21540A	F9TT/850/G23	82	5000	12000		50
		24934A	F9TT/865/G23	82	6500	12000		50
		00500H	F9TT/BLUE		Blue	12000		50
		21625A	F9TT/GREEN		Green	12000		50
		02740D	F9TT/PINK		Pink	12000		50
		21625B	F9TT/RED		Red	12000		50
		02740C	F9TT/YELLOW		Yellow	12000		50
13	GX23	02262D	F13TT/827/GX23	82	2700	12000		50
		02263A	F13TT/827/SS	82	2700	12000	Safe-Shield® Coated	50
		22560A	F13TT/830/GX23	82	3000	12000		50
		22561A	F13TT/835/GX23	82	3500	12000		50
		00464A	F13TT/841/GX23	82	4100	12000		50
		00464E	F13TT/841/SS	80	4100	12000	Safe-Shield® Coated	50
		03105B	F13TT/850/GX23	82	5000	12000		50
		24935A	F13TT/865/GX23	82	6500	12000		50
		02262K	F13TT/BLUE		Blue	12000		50
		02262M	F13TT/GREEN		Green	12000		50
		02262L	F13TT/PINK		Pink	12000		50



SINGLE TWIN



TWIN TUBE




DOUBLE TWIN



QUAD

Watt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
PLUG-IN COMPACT FLUORESCENT BULBS (Cont'd)								
SINGLE TWIN SHAPE 2-PIN (Cont'd)								
13	GX23	02262J	F13TT/RED		Red	12000		50
		26078A	F13TT/YELLOW		Yellow	12000		50
		26289A	F13TT/BLB		Black Light Blue	12000		50
SINGLE TWIN SHAPE 4-PIN								
7	2G7	03408B	F7TT/DS/E/827/2G7	82	2700	12000		50
		20534B	F7TT/DS/E/841/2G7	82	4100	12000		50
9	2G7	04086C	F9TT/DS/E/827/2G7	82	2700	12000		50
		23157B	F9TT/DS/E/841/2G7	82	4100	12000		50
13	2GX7	20284C	F13TT/DS/E/827/2GX7	82	2700	12000		50
		04713E	F13TT/DS/E/830/2GX7	82	3000	12000		50
		23158A	F13TT/DS/E/841/2GX7	82	4100	12000		50
DOUBLE TWIN SHAPE 2-PIN								
9	G23-2	05539A	F9DTT/827/G23-2	82	2700	12000		50
		26366A	F9DTT/830/G23-2	82	3000	12000		50
		26367A	F9DTT/835/G23-2	82	3500	12000		50
		05539D	F9DTT/G23-2/PINK		Pink	12000		50
		05539C	F9DTT/G23-2/YELLOW		Yellow	12000		50
13	GX23-2	06687C	F13DTT/827/GX23-2	82	2700	12000		50
		26368A	F13DTT/830/GX23-2	82	3000	12000		50
		04812B	F13DTT/835/GX23-2	82	3500	12000		50
		04812D	F13DTT/835/SS	82	3500	12000	Safe-Shield® Coated	50
		02262E	F13DTT/841/GX23-2	82	4100	12000		50
		02262N	F13DTT/841/SS	82	4100	12000	Safe-Shield® Coated	50
		23053A	F13DTT/PINK		Pink	12000		50
		06687H	F13DTT/RED		Red	12000		50
		22340A	F13DTT/YELLOW		Yellow	12000		50
18	G24D-2	00126B	F18DTT/827/G24D-2	82	2700	12000		50
		26370A	F18DTT/830/G24D-2	82	3000	12000		50
		01306B	F18DTT/835/G24D-2	82	3500	12000		50
		01306D	F18DTT/835/SS	82	3500	12000	Safe-Shield® Coated	50
		07848E	F18DTT/841/G24D-2	82	4100	12000		50
		20536A	F18DTT/865/G24D-2	82	6500	12000		50
		00126C	F18DTT/RED		Red	12000		50
		22766A	F18DTT/YELLOW		Yellow	12000		50
26	G24D-3	06269A	F26DTT/827/G24D-3	82	2700	12000		50
		25894A	F26DTT/830/G24D-3	82	3000	12000		50
		01721A	F26DTT/835/G24D-3	82	3500	12000		50
		01721C	F26DTT/835/SS	82	3500	12000	Safe-Shield® Coated	50
		00704A	F26DTT/841/G24D-3	82	4100	12000		50
		00704E	F26DTT/841/SS	82	4100	12000	Safe-Shield® Coated	50
		20537A	F26DTT/865/G24D-3	82	6500	12000		50
QUAD SHAPE 2-PIN								
22	GX32D-2	01761E	F22DTT/15MM/827/GX32D-2	82	2700	10000		50
		23224B	F22DTT/15MM/850/GX32D-2	82	5000	10000		50



QUAD



DOUBLE TWIN




TRIPLE TWIN

Item	Watt	Base	No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
PLUG-IN COMPACT FLUORESCENT BULBS (Cont'd)									
QUAD SHAPE 2-PIN (Cont'd)									
28		GX32D-3	02042B	F28DTT/15MM/827/GX32D-3	82	2700	10000		50
DOUBLE TWIN SHAPE 4-PIN									
13		G24Q-1	01339H	F13DDTT/DE/827/G24Q-1	82	2700	12000		50
			26369A	F13DDTT/DE/830/G24Q-1	82	3000	12000		50
			01339J	F13DDTT/DE/835/G24Q-1	82	3500	12000		50
			01339M	F13DDTT/DE/835/SS	82	3500	12000	Safe-Shield® Coated	50
			01339K	F13DDTT/DE/841/G24Q-1	82	4100	12000		50
			24389B	F13DDTT/DE/BLUE		Blue	12000		50
			24389A	F13DDTT/DE/YELLOW		Yellow	12000		50
18		G24Q-2	07848H	F18DDTT/DE/827/G24Q-2	82	2700	12000		50
			26371A	F18DDTT/DE/830/G24Q-2	82	3000	12000		50
			07848J	F18DDTT/DE/835/G24Q-2	82	3500	12000		50
			26055A	F18DDTT/DE/835/SS	82	3500	12000	Safe-Shield® Coated	50
			07848K	F18DDTT/DE/841/G24Q-2	82	4100	12000		50
			07848O	F18DDTT/DE/841/G24Q-2/SS	82	4100	12000	Safe-Shield® Coated	50
			07848N	F18DDTT/DE/YELLOW		Yellow	12000		50
26		G24Q-3	01459F	F26DDTT/DE/827/G24Q-3	82	2700	12000		50
			22692A	F26DDTT/DE/830/G24Q-3	82	3000	12000		50
			01459H	F26DDTT/DE/835/G24Q-3	82	3500	12000		50
			01459M	F26DDTT/DE/835/G24Q-3/SS	82	3500	12000	Safe-Shield® Coated	50
			01459I	F26DDTT/DE/841/G24Q-3	82	4100	12000		50
			01459N	F26DDTT/DE/841/G24Q-3/SS	82	4100	12000	Safe-Shield® Coated	50
TRIPLE TWIN SHAPE 2-PIN									
18		GX24D-2	23335B	CFM18W/GX24D-2/827	82	2700	12000		50
26		GX24D-3	06481F	CFM26W/GX24D-3/827	82	2700	12000		50
TRIPLE TWIN SHAPE 4-PIN									
13		GX24Q-1	26773A	CFM13W/GX24Q-1/827	82	2700	12000		50
			26774A	CFM13W/GX24Q-1/830	82	3000	12000		50
			26775A	CFM13W/GX24Q-1/835	82	3500	12000		50
			26776A	CFM13W/GX24Q-1/841	82	4100	12000		50
18		GX24Q-2	26777A	CFM18W/GX24Q-2/827	82	2700	12000		50
			26778A	CFM18W/GX24Q-2/830	82	3000	12000		50
			26779A	CFM18W/GX24Q-2/835	82	3500	12000		50
			26780A	CFM18W/GX24Q-2/841	82	4100	12000		50
26		GX24Q-3	26321A	CFM26W/GX24Q-3/827	82	2700	12000		50
			26321B	CFM26W/GX24Q-3/827/SS	82	2700	12000	Safe-Shield® Coated	10
			21478B	CFM26W/GX24Q-3/830	82	3000	12000		50
			25449A	CFM26W/GX24Q-3/830/SS	82	3000	12000	Safe-Shield® Coated	10
			04294C	CFM26W/GX24Q-3/835	82	3500	12000		50
			04294E	CFM26W/GX24Q-3/835/SS	82	3500	12000	Safe-Shield® Coated	10
			06481D	CFM26W/GX24Q-3/841	82	4100	12000		50
			06481G	CFM26W/GX24Q-3/841/SS	82	4100	12000	Safe-Shield® Coated	10
			22385A	CFM26W/GX24Q-3/YELLOW		Yellow	12000		10
32		GX24Q-3	26372A	CFM32W/GX24Q-3/827	82	2700	12000		50



TRIPLE TWIN





FLAT 4-PIN




LONG TWIN


Watt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
PLUG-IN COMPACT FLUORESCENT BULBS (Cont'd)								
TRIPLE TWIN SHAPE 4-PIN (Cont'd)								
32	GX24Q-3	26372B	CFM32W/GX24Q-3/827/SS	82	2700	12000	Safe-Shield® Coated	10
		00693B	CFM32W/GX24Q-3/830	82	3000	12000		50
		00693C	CFM32W/GX24Q-3/830/SS	82	3000	12000	Safe-Shield® Coated	10
		20062B	CFM32W/GX24Q-3/835	82	3500	12000		50
		23249A	CFM32W/GX24Q-3/835/SS	82	3500	12000	Safe-Shield® Coated	10
		22392A	CFM32W/GX24Q-3/841	82	4100	12000		50
		22392E	CFM32W/GX24Q-3/841/SS	82	4100	12000	Safe-Shield® Coated	10
		22392D	CFM32W/GX24Q-3/YELLOW		Yellow	12000		10
42	GX24Q-4	26373A	CFM42W/GX24Q-4/827	82	2700	12000		50
		26373B	CFM42W/GX24Q-4/827/SS	82	2700	12000	Safe-Shield® Coated	10
		20335A	CFM42W/GX24Q-4/830	82	3000	12000		50
		20335D	CFM42W/GX24Q-4/830/SS	82	3000	12000	Safe-Shield® Coated	10
		20263C	CFM42W/GX24Q-4/835	82	3500	12000		50
		23316A	CFM42W/GX24Q-4/835/SS	82	3500	12000	Safe-Shield® Coated	10
		04993B	CFM42W/GX24Q-4/841	82	4100	12000		50
		04993E	CFM42W/GX24Q-4/841/SS	82	4100	12000	Safe-Shield® Coated	10
		04993D	CFM42W/GX24Q-4/RED		Red	12000		10
		20335C	CFM42W/GX24Q-4/YELLOW		Yellow	12000		10
57	GX24Q-5	28106A	CFM57W/GX24Q-5/827	82	2700	12000		10
		28107A	CFM57W/GX24Q-5/830	82	3000	12000		10
		28108A	CFM57W/GX24Q-5/835	82	3500	12000		10
		28109A	CFM57W/GX24Q-5/841	82	4100	12000		10
18	GX24Q-2	22430B	CFM18W/GX24Q-2/835/DLS	82	3500	12000		50
		04160F	CFM18W/GX24Q-2/841/DLS	82	4100	12000		50
26	GX24Q-3	21362C	CFM26W/GX24Q-3/835/DLS	82	3500	12000		50
		06481H	CFM26W/GX24Q-3/841/DLS	82	4100	12000		50
32	GX24Q-3	20062D	CFM32W/GX24Q-3/835/DLS	82	3500	12000		50
		22575B	CFM32W/GX24Q-3/841/DLS	82	4100	12000		50
42	GX24Q-4	20263E	CFM42W/GX24Q-4/835/DLS	82	3500	12000		50
		22392C	CFM42W/GX24Q-4/841/DLS	82	4100	12000		50
FLAT TWIN SHAPE 4-PIN								
36	2G10	22157B	F36DFTT/841	82	4100	10000		50
LONG TWIN SHAPE 4-PIN								
40	2G11	26355A	F40LTT/4P/835/21"	82	3500	12000		50
		26356A	F40LTT/4P/841/21"	82	4100	12000		50
		26461A	F40LTT/4P/827/22.5"	82	2700	12000		50
		26357A	F40LTT/4P/830/22.5"	82	3000	12000		50
		26358A	F40LTT/4P/835/22.5"	82	3500	12000		50
		26359A	F40LTT/4P/841/22.5"	82	4100	12000		50
		26462A	F40LTT/4P/850/22.5"	82	5000	12000		50
		26463A	F40LTT/4P/865/22.5"	82	6500	12000		50
50	2G11	26464A	F50LTT/4P/827	82	2700	12000		50
		26360A	F50LTT/4P/830	82	3000	12000		50
		26361A	F50LTT/4P/835	82	3500	12000		50



Watt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
PLUG-IN COMPACT FLUORESCENT BULBS (Cont'd)								
LONG TWIN SHAPE 4-PIN (Cont'd)								
50	2G11	26362A	F50LTT/4P/841	82	4100	12000		50
		26465A	F50LTT/4P/850	82	5000	12000		50
		26466A	F50LTT/4P/865	82	6500	12000		50
55	2G11	26467A	F55LTT/4P/827	82	2700	12000		50
		26363A	F55LTT/4P/830	82	3000	12000		50
		26364A	F55LTT/4P/835	82	3500	12000		50
		26365A	F55LTT/4P/841	82	4100	12000		50
		26468A	F55LTT/4P/850	82	5000	12000		50
		26469A	F55LTT/4P/865	82	6500	12000		50
80	2G11	27771C	F80LTT/4P/830	82	3000	12000		50
		27772C	F80LTT/4P/835	82	3500	12000		50
		27773C	F80LTT/4P/841	82	4100	12000		50
FML SHAPE 4-PIN								
27	GX10Q	06076C	F27FML/827/4P	82	2700	12000		50
		20553B	F27FML/865/4P	82	6500	12000		50
FUL SHAPE 4-PIN								
12	FUL 4Pin	00673A	FUL12WW	52	2700	7500		24
		03896A	FUL12CW	62	4100	7500		24
		02036A	FUL12BL		Black Light	7500		24
14	FUL 4Pin	04198A	FUL14CW	62	4100	7500		24
		04198B	FUL14BL		Black Light	7500		24
15	FUL 4Pin	04716A	FUL15T6WW	52	2700	7500		24
		05009A	FUL15T6BL		Black Light	7500		24
18	FUL 4Pin	02610C	FUL18CW	62	4100	7500		24
		02610B	FUL18BL		Black Light	7500		24
40	FUL 4Pin	01703B	FUL40BL		Black Light	7500		24
50	FUL 4Pin	20955A	FUL50BL		Black Light	7500		24
SQUARE SHAPE 4-PIN (2D)								
16	GR10Q-4	26273A	CF16SQ/827/4P	82	2700	10000		10
		26274A	CF16SQ/835/4P	82	3500	10000		10
21	GR10Q-4	26275A	CF21SQ/827/4P	82	2700	10000		10
		26276A	CF21SQ/835/4P	82	3500	10000		10
28	GR8-2	26271A	CF28SQ/827	82	2700	10000		10
		26272A	CF28SQ/835	82	3500	10000		10
	GR10Q-4	26277A	CF28SQ/827/4P	82	2700	10000		10
		26278A	CF28SQ/835/4P	82	3500	10000		10
38	GR10Q-4	26279A	CF38SQ/827/4P	82	2700	10000		10
		26280A	CF38SQ/835/4P	82	3500	10000		10
55	GRY10Q-3	26281A	CF55SQ/827/A/4P	82	2700	10000		10
		26282A	CF55SQ/830/A/4P	82	3000	10000		10
		26283A	CF55SQ/835/A/4P	82	3500	10000		10
		26470A	CF55SQ/841/A/4P	82	4100	10000		10
		26471A	CF55SQ/850/A/4P	82	5000	10000		10
		26472A	CF55SQ/865/A/4P	82	6500	10000		10



SINGLE TWIN



DOUBLE TWIN



TRIPLE TWIN



FUL

Watt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
PLUG-IN COMPACT FLUORESCENT BULBS (Cont'd)								
COLORED COMPACT FLUORESCENTS								
5	G23	24932B	F5TT/BLUE		Blue	12000		50
7	G23	24933B	F7TT/BLUE		Blue	12000		50
9	G23	00500H	F9TT/BLUE		Blue	12000		50
13	G24Q-1	24389B	F13DDTT/DE/BLUE		Blue	12000		50
	GX23	02262K	F13TT/BLUE		Blue	12000		50
5	G23	24931B	F5TT/GREEN		Green	12000		50
7	G23	02103O	F7TT/GREEN		Green	12000		50
9	G23	21625A	F9TT/GREEN		Green	12000		50
13	GX23	02262M	F13TT/GREEN		Green	12000		50
5	G23	23352A	F5TT/PINK		Pink	12000		50
7	G23	02103M	F7TT/PINK		Pink	12000		50
9	G23	02740D	F9TT/PINK		Pink	12000		50
13	GX23	02262L	F13TT/PINK		Pink	12000		50
9	G23-2	05539D	F9DTT/827/G23-2/PINK		Pink	12000		50
5	G23	04123J	F5TT/RED		Red	12000		50
7	G23	02103N	F7TT/RED		Red	12000		50
9	G23	21625B	F9TT/RED		Red	12000		50
13	GX23	02262J	F13TT/RED		Red	12000		50
	GX23-2	06687H	F13DTT/RED		Red	12000		50
18	G24D-2	00126C	F18DTT/RED		Red	12000		50
42	GX24Q-4	04993D	CFM42W/GX24Q-4/RED		Red	12000		10
5	G23	22559B	F5TT/YELLOW		Yellow	12000		50
7	G23	24880A	F7TT/YELLOW		Yellow	12000		50
9	G23	02740C	F9TT/YELLOW		Yellow	12000		50
13	GX23	26078A	F13TT/YELLOW		Yellow	12000		50
9	G23-2	05539C	F9DTT/YELLOW		Yellow	12000		50
13	GX23-2	22340A	F13DTT/YELLOW		Yellow	12000		50
18	G24D-2	22766A	F18DTT/YELLOW		Yellow	12000		50
26	G24D-3	25927A	F26DTT/YELLOW		Yellow	12000		50
13	G24Q-1	24389A	F13DDTT/DE/YELLOW		Yellow	12000		50
18	G24Q-2	07848N	F18DDTT/DE/YELLOW		Yellow	12000		50
13	GX23	22560B	F13TT/830/GX23/YELLOW		Yellow	12000		50
26	GX24Q-3	22385A	CFM26W/GX24Q-3/YELLOW		Yellow	12000		10
32	GX24Q-3	22392D	CFM32W/GX24Q-3/YELLOW		Yellow	12000		10
42	GX24Q-4	20335C	CFM42W/GX24Q-4/YELLOW		Yellow	12000		10
ULTRAVIOLET COMPACT FLUORESCENTS								
12	FUL 4Pin	02036A	FUL12BL		Black Light	7500		24
14	FUL 4Pin	04198B	FUL14BL		Black Light	7500		24
15	FUL 4Pin	05009A	FUL15T6BL		Black Light	7500		12
18	FUL 4Pin	02610B	FUL18BL		Black Light	7500		24
40	FUL 4Pin	01703B	FUL40BL		Black Light	7500		24
50	FUL 4Pin	20955A	FUL50BL		Black Light	7500		12
13	GX23	26289A	F13TT/BLB		Black Light Blue	12000		50



SINGLE TWIN



LONG TWIN

Watt	Base	Item No	Description	Avg CRI	Avg Kelvin/Color	Avg Life Hours	Notes	Ctn Qty
PLUG-IN COMPACT FLUORESCENT BULBS (Cont'd)								
ULTRAVIOLET COMPACT FLUORESCENTS (Cont'd)								
5	G23	05080E	GPX-5		Clear	8000	Germicidal	50
9	G23	05080C	GPX-9		Clear	8000	Germicidal	50
13	GX23	05080F	GPX-13		Clear	8000	Germicidal	50
18	2G11	23428A	GPL18		Clear	8000	Germicidal	25
36	2G11	23428B	GPL36		Clear	8000	Germicidal	25
55	2G11	27931B	GPL55		Clear	8000	Germicidal	25

DAMAR	GE	SYLVANIA	PHILIPS	PANASONIC	USHIO
COMPACT FLUORESCENT CROSS REFERENCE					
SINGLE TWIN TUBE SHAPE					
F5TT/827/G23	F5BX/SPX27	CF5DS/827	PL-S 5W/827		CF5S/827
F5TT/835/G23					CF5S/835
F5TT/841/G23	F5BX/SPX41	CF5DS/841			CF5S/841
F5TT/850/G23	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F5TT/865/G23					CF5S/865
F7TT/827/G23	F7BX/SPX27	CF7DS/827	PL-S 7W/827		CF7S/827
F7TT/835/G23	F7BX/SPX35	CF7DS/835	PL-S 7W/835		CF7S/835
F7TT/841/G23	F7BX/SPX41	CF7DS/841	PL-S 7W/841		CF7S/841
F7TT/850/G23	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F7TT/865/G23					CF7S/865
F9TT/827/G23	F9BX/SPX27	CF9DS/827	PL-S 9W/827		CF9S/827
F9TT/835/G23	F9BX/SPX35	CF9DS/835	PL-S 9W/835		CF9S/835
F9TT/841/G23	F9BX/SPX41	CF9DS/841	PL-S 9W/841		CF9S/841
F9TT/850/G23	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE		DAMAR EXCLUSIVE
F9TT/865/G23					CF9S/865
F13TT/827/GX23	F13BX/SPX27	CF13DS/827	PL-S 13W/827	FQS13E27U2	CF13S/827
F13TT/830/GX23	F13BX/SPX30	CF13DS/830	PL-S 13W/830		
F13TT/835/GX23	F13BX/SPX35	CF13DS/835	PL-S 13W/835		CF13S/835
F13TT/841/GX23	F13BX/SPX41	CF13DS/841	PL-S 13W/841		CF13S/841
F13TT/850/GX23	F13BX/SPX50	CF13DS/850	PL-S 13W/850		
F13TT/865/GX23					CF13S/865
F7TT/DS/E/827/2G7	CF7DS/E/827				CF7SE/827
F7TT/DS/E/841/2G7	CF7DS/E/841				CF7SE/841
F9TT/DS/E/827/2G7	CF9DS/E/827				CF9SE/827
F9TT/DS/E/841/2G7	CF9DS/E/841				CF9SE/841
F13TT/DS/E/827/2GX7	CF13DS/E/827				CF13SE/827
F13TT/DS/E/830/2GX7	CF13DS/E/830				CF13SE/830
F13TT/DS/E/841/2GX7	CF13DS/E/841				CF13SE/841
DOUBLE TWIN TUBE SHAPE					
F9DTT/827/G23-2	F9DBX23T4/SPX27	CF9DD/827			CF9D/827
F9DTT/830/G23-2	CF9DD/830				
F9DTT/835/G23-2	CF9DD/835				CF9D/835
F13DTT/827/GX23-2	F13DBX23T4/SPX27	CF13DD/827	PL-C 13W/827/USA	FQ13E27.U/2	CF13D/827
F13DTT/830/GX23-2	F13DBX23T4/SPX30	CF13DD/830	PL-C 13W/830/USA		
F13DTT/835/GX23-2	F13DBX23T4/SPX35	CF13DD/835	PL-C 13W/835/USA	FQ13E35.U/2	CF13D/835
F13DTT/841/GX23-2	F13DBX23T4/SPX41	CF13DD/841	PL-C 13W/841/USA	FQ13E41.U/2	CF13D/841
F13DDTT/DE/827/G24Q-1	F13DBX/SPX27/4P	CF13DD/E/827	PL-C 13W/827/4P	FDS13E27/4	CF13DE/827
F13DDTT/DE/830/G24Q-1	F13DBX/SPX30/4P	CF13DD/E/830	PL-C 13W/830/4P		
F13DDTT/DE/835/G24Q-1	F13DBX/SPX35/4P	CF13DD/E/835	PL-C 13W/835/4P	FDS13E35/4	CF13DE/835
F13DDTT/DE/841/G24Q-1	F13DBX/SPX41/4P	CF13DD/E/841	PL-C 13W/841/4P	FDS13E41/4	CF13DE/841
F18DTT/827/G24D-2	F18DBXT4/SPX27	CF18DD/827	PL-C 18W/827		CF18D/827
F18DTT/830/G24D-2	F18DBXT4/SPX30	CF18DD/830	PL-C 18W/830		
F18DTT/835/G24D-2	F18DBXT4/SPX35	CF18DD/835	PL-C 18W/835		CF18D/835
F18DTT/841/G24D-2	F18DBXT4/SPX41	CF18DD/841	PL-C 18W/841		CF18D/841

DAMAR	GE	SYLVANIA	PHILIPS	PANASONIC	USHIO
COMPACT FLUORESCENT CROSS REFERENCE (Cont'd)					
DOUBLE TWIN TUBE SHAPE (Cont'd)					
F18DTT/865/G24D-2	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F18DDTT/DE/827/G24Q-2	F18DBX/SPX27/4P	CF18DD/E/827	PL-C 18W/827/4P	FDS18E27/4	CF18DE/827
F18DDTT/DE/830/G24Q-2	F18DBX/SPX30/4P	CF18DD/E/830	PL-C 18W/830/4P		
F18DDTT/DE/835/G24Q-2	F18DBX/SPX35/4P	CF18DD/E/835	PL-C 18W/835/4P	FDS18E35/4	CF18DE/835
F18DDTT/DE/841/G24Q-2	F18DBX/SPX41/4P	CF18DD/E/841	PL-C 18W/841/4P	FDS18E41/4	CF18DE/841
F26DTT/827/G24D-3	F26DBX/SPX27	CF26DD/827	PL-C 26W/827	FQ26E27/2	CF26D/827
F26DTT/830/G24D-3	F26DBX/SPX30	CF26DD/830	PL-C 26W/830		
F26DTT/835/G24D-3	F26DBX/SPX35	CF26DD/835	PL-C 26W/835	FQ26E35/2	CF26D/835
F26DTT/841/G24D-3	F26DBX/SPX41	CF26DD/841	PL-C 26W/841	FQ26E41/2	CF26D/841
F26DTT/865/G24D-3	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F26DDTT/DE/827/G24Q-3	F26DBX/SPX27/4P	CF26DD/E/827	PL-C 26W/827/4P	FDS26E27/4	CF26DE/827
F26DDTT/DE/830/G24Q-3	F26DBX/SPX30/4P	CF26DD/E/830	PL-C 26W/830/4P		
F26DDTT/DE/835/G24Q-3	F26DBX/SPX35/4P	CF26DD/E/835	PL-C 26W/835/4P	FDS26E35/4	CF26DE/835
F26DDTT/DE/841/G24Q-3	F26DBX/SPX41/4P	CF26DD/E/841	PL-C 26W/841/4P	FDS26E41/4	CF26DE/841
QUAD SHAPE					
F22DTT/15MM/827/GX32D-2	PL-C		15MM/22W/827	FDL22LE/D	
F22DTT/15MM/850/GX32D-2				FDL22EX/D	
F28DTT/15MM/827/GX32D-3	PL-C		15MM/28W/827	FDL28LE/D	
TRIPLE TWIN TUBE SHAPE					
CFM13W/GX24Q-1/827	F13TBX/SPX27/A/4P	CF13DT/E/827			CF13TE/827
CFM13W/GX24Q-1/830	F13TBX/SPX30/A/4P	CF13DT/E/830			
CFM13W/GX24Q-1/835	F13TBX/SPX35/A/4P	CF13DT/E/835			CF13TE/835
CFM13W/GX24Q-1/841	F13TBX/SPX41/A/4P	CF13DT/E/841			CF13TE/841
CFM18W/GX24D-2/827	CF18DT/827				
CFM18W/GX24Q-2/827	F18TBX/SPX27/A/4P	CF18DT/E/IN/827	PL-T 18W/827/4P	FHT18E27	CF18TE/827
CFM18W/GX24Q-2/830	F18TBX/SPX30/A/4P	CF18DT/E/IN/830	PL-T 18W/830/4P		
CFM18W/GX24Q-2/835	F18TBX/SPX35/A/4P	CF18DT/E/IN/835	PL-T 18W/835/4P	FHT18E35	CF18TE/835
CFM18W/GX24Q-2/841	F18TBX/SPX41/A/4P	CF18DT/E/IN/841	PL-T 18W/841/4P	FHT18E41	CF18TE/841
CFM26W/GX24D-3/827	CF26DT/827				CF26T/827
CFM26W/GX24Q-3/827	F26TBX/SPX27/A/4P	CF26DT/E/IN/827	PL-T 26W/827/4P	FHT26E27	CF26TE/827
CFM26W/GX24Q-3/830	F26TBX/SPX30/A/4P	CF26DT/E/IN/830	PL-T 26W/830/4P		CF26TE/830
CFM26W/GX24Q-3/835	F26TBX/SPX35/A/4P	CF26DT/E/IN/835	PL-T 26W/835/4P	FHT26E35	CF26TE/835
CFM26W/GX24Q-3/841	F26TBX/SPX41/A/4P	CF26DT/E/IN/841	PL-T 26W/841/4P	FHT26E41	CF26TE/841
CFM32W/GX24Q-3/827	F32TBX/SPX27/A/4P	CF32DT/E/IN/827	PL-T 32W/827/4P	FHT32E27	CF32TE/827
CFM32W/GX24Q-3/830	F32TBX/SPX30/A/4P	CF32DT/E/IN/830	PL-T 32W/830/4P		CF32TE/830
CFM32W/GX24Q-3/835	F32TBX/SPX35/A/4P	CF32DT/E/IN/835	PL-T 32W/835/4P	FHT32E35	CF32TE/835
CFM32W/GX24Q-3/841	F32TBX/SPX41/A/4P	CF32DT/E/IN/841	PL-T 32W/841/4P	FHT32E41	CF32TE/841
CFM42W/GX24Q-4/827	F42TBX/SPX27/A/4P	CF42DT/E/IN/827	PL-T 42W/827/4P		CF42TE/827
CFM42W/GX24Q-4/830	F42TBX/SPX30/A/4P	CF42DT/E/IN/830	PL-T 42W/830/4P		CF42TE/830
CFM42W/GX24Q-4/835	F42TBX/SPX35/A/4P	CF42DT/E/IN/835	PL-T 42W/835/4P		CF42TE/835
CFM42W/GX24Q-4/841	F42TBX/SPX41/A/4P	CF42DT/E/IN/841	PL-T 42W/841/4P		CF42TE/841
CFM57W/GX24Q-5/827	F57QBX/827/A/4P/EOL	CF57DT/E/IN/827			
CFM57W/GX24Q-5/830	F57QBX/830/A/4P/EOL	CF57DT/E/IN/830			
CFM57W/GX24Q-5/835	F57QBX/835/A/4P/EOL	CF57DT/E/IN/835			

DAMAR	GE	SYLVANIA	PHILIPS	PANASONIC	USHIO
COMPACT FLUORESCENT CROSS REFERENCE (Cont'd)					
TRIPLE TWIN TUBE SHAPE (Cont'd)					
CFM57W/GX24Q-5/841	F57QBX/841/A/4P/EOL	CF57/DT/E/1N/841			
CFM18W/GX24Q-2/835/DLS	PL-T		18W/835/4P		
CFM18W/GX24Q-2/841/DLS	PL-T		18W/841/4P		
CFM26W/GX24Q-3/835/DLS	PL-T		26W/835/4P		
CFM26W/GX24Q-3/841/DLS	PL-T		26W/841/4P		
CFM32W/GX24Q-3/835/DLS	PL-T		32W/835/4P		
CFM32W/GX24Q-3/841/DLS	PL-T		32W/841/4P		
CFM42W/GX24Q-4/835/DLS	PL-T		42W/835/4P		
CFM42W/GX24Q-4/841/DLS	PL-T		42W/841/4P		
FLAT TWIN TUBE SHAPE					
F36DFTT/841	CF36DF/841				
LONG TWIN TUBE SHAPE					
F18LTT/4P/827/9" 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F18LTT/4P/830/9" 2G11	F18BX/SPX30	FT18DL/830	PL-L 18W/830		CF-L18SE/830
F18LTT/4P/835/9" 2G11	F18BX/SPX35	FT18DL/835	PL-L 18W/835		CF-L18SE/835
F18LTT/4P/841/9" 2G11	F18BX/SPX41	FT18DL/841	PL-L 18W/841		CF-L18SE/841
F18LTT/4P/850/9" 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F18LTT/4P/865/9" 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F18LTT/4P/827/10.5" 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F18LTT/4P/830/10.5" 2G11	F18BX/SPX30/RS	FT18DL/830/RS	PL-L 18W/830		
F18LTT/4P/835/10.5" 2G11	F18BX/SPX35/RS	FT18DL/835/RS	PL-L 18W/835		
F18LTT/4P/841/10.5" 2G11	F18BX/SPX41/RS	FT18DL/841/RS	PL-L 18W/841		
F18LTT/4P/850/10.5" 2G11	F18BX/SPX65/RS				
F18LTT/4P/865/10.5" 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F24LTT/4P/827 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F24LTT/4P/830 2G11	F27BX/SPX30/RS	F24DL/830	PL-L 24W/830		CF-L24SE/830
F24LTT/4P/835 2G11	F27BX/SPX35/RS	F24DL/835	PL-L 24W/835		CF-L24SE/835
F24LTT/4P/841 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F24LTT/4P/850 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F24LTT/4P/865 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F36LTT/4P/827 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F36LTT/4P/830 2G11	F39BX/SPX30/RS	FT36DL/830	PL-L 36W/830		CF-L36SE/830
F36LTT/4P/835 2G11	F39BX/SPX35/RS	FT36DL/835	PL-L 36W/835		CF-L36SE/835
F36LTT/4P/841 2G11	F39BX/SPX41/RS	FT36DL/841	PL-L 36W/841		CF-L36SE/841
F36LTT/4P/850 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F36LTT/4P/865 2G11	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F40LTT/4P/835/21"					CF-L40SE/835
F40LTT/4P/841/21"					CF-L40SE/841
F40LTT/4P/827/22.5"	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F40LTT/4P/830/22.5"	F40/30BX/SPX30	FT40DL/830RS	PL-L 40W/830/RS/IS		
F40LTT/4P/835/22.5"	F40/30BX/SPX35	FT40DL/835RS	PL-L 40W/835/RS/IS		
F40LTT/4P/841/22.5"	F40/30BX/SPX41	FT40DL/841RS	PL-L 40W/841/RS/IS		
F40LTT/4P/850/22.5"	F40/30BX/SPX50/RS				
F40LTT/4P/865/22.5"	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE

DAMAR	GE	SYLVANIA	PHILIPS	PANASONIC	USHIO
COMPACT FLUORESCENT CROSS REFERENCE (Cont'd)					
LONG TWIN TUBE SHAPE (Cont'd)					
F50LTT/4P/827	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F50LTT/4P/830	F50/30BX/SPX30/RS	PL-L	50W/830/RS		CF-L55SE/830
F50LTT/4P/835	F50/30BX/SPX35/RS	PL-L	50W/835/RS		CF-L55SE/835
F50LTT/4P/841	F50/30BX/SPX41/RS	PL-L	50W/841/RS		CF-L55SE/841
F50LTT/4P/850	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F50LTT/4P/865	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F55LTT/4P/827	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F55LTT/4P/830	F55BX/830	FT55DL/830			
F55LTT/4P/835	F55BX/835	FT55DL/835			
F55LTT/4P/841	F55BX/841	FT55DL/841			
F55LTT/4P/850	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F55LTT/4P/865	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
F80LTT/4P/830	FT80DL/830		PL-L 80W/830		
F80LTT/4P/835	FT80DL/835		PL-L 80W/835		
F80LTT/4P/841	FT80DL/841		PL-L 80W/841		
SQUARE (2D) SHAPE					
CF28SQ/827 2PIN	F282D/827/2 PIN				
CF28SQ/835 2PIN	F282D/835/2 PIN				
CF16SQ/827/4P	F162D/827/4P				
CF16SQ/835/4P	F162D/835/4P				
CF21SQ/827/4P	F212D/827/4P				
CF21SQ/835/4P	F212D/835/4P				
CF28SQ/827/4P	F282D/827/4P				
CF28SQ/835/4P	F282D/835/4P				
CF38SQ/827/4P	F382D/827/4P				
CF38SQ/835/4P	F382D/835/4P				
CF55SQ/827/A/4P	F552D/827/A/4P				
CF55SQ/830/A/4P	F552D/830/A/4P				
CF55SQ/835/A/4P	F552D/835/A/4P				
CF55SQ/841/A/4P	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
CF55SQ/850/A/4P	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
CF55SQ/865/A/4P	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE	DAMAR EXCLUSIVE
GERMICIDAL SINGLE TWIN TUBE SHAPE					
GPX-5	GBX5/UVC	PL-S	5W/TUV		
GPX-9	GBX9/UVC	PL-S	9W/TUV		
GPX-13	GBX13/UVC				
GERMICIDAL LONG TWIN TUBE SHAPE					
GPL18	GBX18/UVC/2G11	PL-L	18W/TUV		
GPL36	GBX36/UVC/2G11	PL-L	36W/TUV		
GPL55	GBX55/UVC/2G11	PL-L	55W/TUV		
			PL-L 55W/TUV		